

MECHANICAL & HYDRAULIC MARINE STEERING SYSTEMS



HydraStik HS-2500



EZY STIK II
840



EZY STIK III
870

**EZY-GLIDE, INC. PRODUCTS
MEET OR EXCEED
NMMA/ABYC STANDARDS**



SideKick SK-2500

MEMBER OF
NMMA
National Marine Manufacturers Association

MEMBER
ABYC
Setting Standards for Safer Boating

**715 7TH STREET • CHIPLEY, FL 32428 • WWW.EZYGLIDE.COM
INFO@EZYGLIDE.COM • 800.874.7861 TOLL FREE • 850.638.4403**

HYDRAULIC STEERING

HydraStik® (HS-2500) • Sidekick® (SK-2500) • HydraGlide® (HG-2500)

MECHANICAL STEERING

Ezy-Stik II 840® Ezy-Stik III 870®



PRODUCT CATALOG

RETAIL PRICE LIST

E f f e c t i v e J a n u a r y 1 , 2 0 2 2

Hydraulic Steering Systems	3-4
-HydraStik HS-2500	
-SideKick SK-2500	
-HydraGlide HG-2500	
Hydraulic System Accessories	5-6
-Mounting Brackets	
-HydraGlide Hydraulic Fluid	
Mechanical Steering Systems	7-8
-Ezy-Stik II 840	
-Ezy-Stik III 870	
Replacement Cables & Parts for Ezy-Stik Systems	8
Ezy-Stik Accessories	9-10
-Ezy-Tab	
-Lever Latch	
-Engine Connection Kit	
-Rigger's Pal Mount Bracket	
-Adjustable Mount Bracket	
Ezy-Glide Warranty Policy	11
Quick Price List	12

EZY-GLIDE HYDRAULIC SYSTEMS

Our Hydraulic Steering Systems are designed for up-front steering as the mechanical stick-steering systems with the *added advantage of fewer turns from lock-to-lock and no feedback*. These systems have a manufacturer's recommended maximum horsepower rating of **90 hp OB/110 Jet**. The **total turns from lock-to-lock is only 2.8** which requires the operator to turn a mere 1.35 turns to move the boat from center position to a complete right or a complete left turn. Hydraulic systems may be installed on either the port or starboard side of the boat or installed into a console mount. An installation instruction manual is included with each system.



HYDRA-STIK®
(MODEL HS-2500)



SIDE-KICK®
(MODEL SK-2500)



HYDRA-GLIDE®
(MODEL HG-2500)



FAST RESPONSE HYDRAULICS

at only 2.8 turns from lock to lock!

Compact design provides easy access to back of helm for installation and maintenance.

Shown installed using the Ezy-Glide Hydra-Mount HYM-12.

Further information on page 5.

PACKAGE DETAILS SHOWN ON THE NEXT PAGE

**EZY-GLIDE RECOMMENDS HYDRAGLIDE HYDRAULIC FLUID
IN THESE SYSTEMS FOR BEST RESULTS (SEE PAGE 5).**

PART #	DESCRIPTION	RETAIL PRICE
HS-2500	HYDRA-STIK COMPLETE HYDRAULIC STEERING SYSTEM	\$1,361.00
SK-2500	SIDE-KICK COMPLETE HYDRAULIC STEERING SYSTEM	1,429.00
HG-2500	HYDRA-GLIDE COMPLETE HYDRAULIC STEERING SYSTEM	1,382.00
CY-U15	UNIVERSAL CYLINDER FOR 2500 SERIES STEERING SYSTEMS	858.00
HP-250	HELM PUMP (2.8 TURNS) FOR 2500 HYDRAULIC STEERING SYSTEMS	696.50
L-08	REPLACEMENT LEVER & HARDWARE (FOR HYDRA-STIK SYSTEM ONLY)	55.00
BZ-10	REPLACEMENT BEZEL (FOR HYDRA-STIK SYSTEM ONLY)	99.00
HG-SW	HYDRA-GLIDE STEERING WHEEL FOR EZY-GLIDE HYDRAULIC SYSTEMS	121.00
SK-SW	SIDEKICK STEERING WHEEL FOR EZY-GLIDE HYDRAULIC SYSTEMS	165.00

EZY-GLIDE HYDRAULIC SYSTEMS

THE HYDRASTIK HS-2500 SYSTEM:

- Hydraulic Helm Pump HP-250
- 20' Hydraulic Hose with Fittings (set of 2) HO-2
- Universal Hydraulic Cylinder CY-U15
- Installation Package (includes Woodruff Key and Shaft Nut)
- Bezel BZ-10
- HydraStik Lever L-08
- HydraGlide Hydraulic Fluid (2 liter) HF-2

RETAIL PRICE: \$1,361.00

All Hydraulic Systems rated for outboard engines UP TO 90hp/110 jet



THE SIDEKICK SK-2500

- Hydraulic Helm Pump HP-250
- 20' Hydraulic Hose with Fittings (set of 2) HO-2
- Universal Hydraulic Cylinder CY-U15
- Installation Package (includes Woodruff Key & Shaft Nut)
- SideKick Steering Wheel SK-SW
- HydraGlide Hydraulic Fluid (2 liter) HF-2

RETAIL PRICE: \$1,429.00



THE HYDRAGLIDE HG-2500


- **FAST RESPONSE CONSOLE! 2.7 turns**
- Hydraulic Helm Pump HP-250
- 20' Hydraulic Hose with Fittings (set of 2) HO-2
- Universal Hydraulic Cylinder CY-U15
- Installation Package (includes Woodruff Key & Shaft Nut)
- HydraGlide Steering Wheel HG-SW
- HydraGlide Hydraulic Fluid (2 liter) HF-2

RETAIL PRICE: \$1,382.00

EZY-GLIDE HYDRAULICS ACCESSORIES



*Installed View
(Wheel Not Included)*



EZY-MOUNT ALUMINUM MOUNT PAD (Part # EZM-14)

Designed to mount the helm of Ezy-Glide Hydraulic systems. Mount Pad Cover is approximately 6.5" high, 8.25" deep, and 6.25" wide. Internal helm pump mount is approximately 5.5" high, 6" wide, 3.75" from front to center plate and 3" from back to center plate. Helm pump opening is approximately 4". (Standard unfinished aluminum. Black textured finish as shown in center is available at an upcharge of \$15.)

RETAIL PRICE: \$160.00



AVAILABLE
IN THESE
COLORS
ONLY:
White,
Black, or
Grey

See
installation
photos of
this item on
page 3.

HYDRA-MOUNT FIBERGLASS MOUNT PAD (Part # HYM-12)

Designed for mounting the helm of Ezy-Glide Hydraulics systems. This mount pad can be ordered in a variety of basic colors. Allow up to 6 weeks for this custom-made product.

HYDRAGLIDE HYDRAULIC FLUID 1 liter Hydraulic Fluid (Part # HF2)

We recommend Hydra-Glide™ Hydraulic Steering Fluid for use in your Ezy-Glide Hydraulic Marine Steering Systems. Hydra-Glide™ Hydraulic Steering Fluid by Ezy-Glide is a high quality, low viscosity, anti-wear hydraulic steering fluid specially developed for use in industrial and mobile equipment. It has a very high viscosity index and a low pour point. Hydra-Glide™ Hydraulic Steering Fluid may be used in hydraulic systems in which the equipment manufacturer specifies a MIL-H 5606 type fluid. It is not recommended for aircraft use.



RETAIL PRICE: \$230.00

RETAIL PRICE: \$ 27.50

EZY-GLIDE MECHANICAL STEERING SYSTEMS



EZY-STIK® II
MODEL 840

EZY-STIK® II MODEL 840

The Classic Ezy-Stik Steering System! Ezy-Stik II Model 840 is the standard for convenience. The slower ratio of the Ezy-Stik II provides the added mechanical advantage needed for higher horsepower as well as 4-stroke engines. The 840 has a manufacturer's maximum horsepower rating of 70hp/90hp Jet.

SPECIFICATIONS:

TOTAL LEVER MOVEMENT: 58 INCHES/206 DEGREES
STEERING RATIO: 6.4/1 HOUSING DIMENSIONS: APPROX. 6" X 6"
LEVER LENGTH: 16"
(20" LEVER OPTION ALSO AVAILABLE AT ADDITIONAL COST)

RETAIL PRICE: \$458.00

EZY-STIK® III MODEL 870

The Ezy-Stik III Model 870 has a quicker turning ratio which provides faster response and a shorter travel distance from lock to lock. *Due to the fact that 4-stroke engines transfer more negative torque feedback to the operator, if the engine is a 4-stroke over 40hp, the Ezy-Stik II Model 840 should be considered over the Model 870.* The 870 has a horsepower rating of 70hp/90hp Jet.

SPECIFICATIONS:

TOTAL LEVER MOVEMENT: 44.8 INCHES/ 161 DEGREES
STEERING RATIO: 5.0/1 HOUSING DIMENSIONS: APPROX. 7 ½" X 7 ½"
LEVER LENGTH: 16" (20" LEVER OPTION ALSO AVAILABLE AT ADDITIONAL COST)



EZY-STIK® III
MODEL 870

RETAIL PRICE: \$474.00

EZY-GLIDE MECHANICAL STEERING SYSTEM CABLE LENGTHS

How to determine the correct cable length on an existing system:



PHOTO COURTESY OF
XTREME INDUSTRIES



If installing for the first time, or unable to read cable length marking, see **“How To Measure” on Page 8**

We can manufacture ANY LENGTH CABLE needed in 1/2 foot increments. We manufacture all cables on-site.


All systems and cables are the same price up to 15'. Any length beyond 15' is \$3.00 per foot additional cost.

MOST STANDARD CABLE LENGTHS

PART #: USE SYSTEM # (840 OR 870) PLUS THE 4-DIGIT CABLE LENGTH (12' = 1200)

840-1000	EZY-STIK® II 10' CABLE SYSTEM	870-1000	EZY-STIK® III 10' CABLE SYSTEM
840-1100	EZY-STIK® II 11' CABLE SYSTEM	870-1100	EZY-STIK® III 11' CABLE SYSTEM
840-1200	EZY-STIK® II 12' CABLE SYSTEM	870-1200	EZY-STIK® III 12' CABLE SYSTEM
840-1250	EZY-STIK® II 12½' CABLE SYSTEM	870-1250	EZY-STIK® III 12½' CABLE SYSTEM
840-1300	EZY-STIK® II 13' CABLE SYSTEM	870-1300	EZY-STIK® III 13' CABLE SYSTEM
840-1350	EZY-STIK® II 13½' CABLE SYSTEM	870-1350	EZY-STIK® III 13½' CABLE SYSTEM
840-1400	EZY-STIK® II 14' CABLE SYSTEM	870-1400	EZY-STIK® III 14' CABLE SYSTEM
840-1500	EZY-STIK® II 15' CABLE SYSTEM	870-1500	EZY-STIK® III 15' CABLE SYSTEM

REPLACEMENT CABLES FOR EZY-STIK MECHANICAL STEERING SYSTEMS



HOW TO MEASURE

SYSTEM OR REPLACEMENT CABLE LENGTH

Measure from the center of the helm position to the center of the engine and add 8" to this measurement. Round up your cable length measurement to the nearest ½ ft length (i.e. a 12'2" measurement would order a 12½' cable).

CONTACT US DIRECTLY FOR SPECIAL LENGTHS
AND WE WILL BE HAPPY TO ASSIST YOU!

RETAIL PRICE: \$225.00

MOST STANDARD REPLACEMENT CABLE LENGTHS

FOR CABLES OVER 15' ADD \$3.00 ADDITIONAL PER FOOT. CABLES MANUFACTURED ON SITE.

RC-0600	6' REPLACEMENT CABLE	WE CAN MANUFACTURE ANY LENGTH CABLE NEEDED IN 1/2 FOOT INCREMENTS.	RC-1150	11½' REPLACEMENT CABLE
RC-0700	7' REPLACEMENT CABLE		RC-1200	12' REPLACEMENT CABLE
RC-0800	8' REPLACEMENT CABLE		RC-1250	12½' REPLACEMENT CABLE
RC-0900	9' REPLACEMENT CABLE		RC-1300	13' REPLACEMENT CABLE
RC-1000	10' REPLACEMENT CABLE		RC-1350	13½' REPLACEMENT CABLE
RC-1050	10½' REPLACEMENT CABLE		RC-1400	14' REPLACEMENT CABLE
RC-1100	11' REPLACEMENT CABLE		RC-1500	15' REPLACEMENT CABLE

REPLACEMENT ITEMS FOR EZY-STIK MECHANICAL STEERING SYSTEMS

PART #	DESCRIPTION	RETAIL PRICE
H-260	LEVER (1/2" x 16") LEVER, KNOB & NUT	\$ 30.00
H-260-L	20" LEVER (1/2" x 20") LEVER, KNOB & NUT	38.50
K-060	BLACK KNOB FOR 1/2" HANDLE	5.00
DC-212	DRESS COVER FOR ALL EZY-STIK® SYSTEMS	6.50
HP-900	MOUNTING HARDWARE PACK	5.75
HP-2000	LEVER AND HARDWARE PACK FOR EZY-STIK® II 840 SYSTEM	34.75
HP-3000	LEVER AND HARDWARE PACK FOR EZY-STIK® III 870 SYSTEM	34.75
HO-840	REPLACEMENT HOUSING FOR HELM OF EZY-STIK® II 830/840 SYSTEM (BLACK BOX ONLY. NO INSIDE PARTS.)	72.00
HO-870	REPLACEMENT HOUSING FOR HELM OF EZY-STIK® III 870 SYSTEM (BLACK BOX ONLY. NO INSIDE PARTS.)	82.50

EZY-STIK MECHANICAL STEERING SYSTEM ACCESSORIES

EZY-TAB (PART NO. EZY-TAB)



The Ezy-Tab is designed to counter the torque pressure on the wheel and will reduce or even eliminate steering torque. It mounts on the skeg of the motor below the prop on the gearcase. Easy to Install. Made of cast aluminum with stainless screws.

RETAIL PRICE: \$27.50

LEVER LATCH

(PART NO. LL-17)

The Lever Latch has two functions. First, the latch can be flipped down over the lever of the Ezy-Stik lever as shown. This works well to hold the engine in straight ahead position. Second, this same position will allow trolling in a straight line.



RETAIL PRICE: \$22.50

ENGINE CONNECTION KIT

(PART NO. EG-LPK)

This kit is to supply through tube engine connection. These are primarily for engines that do not have the remote steering tube/tilt tube built onto the engine. This kit supplies the transom plate, threaded tube and link-arm connection to the engine. These kits are made only for cable entry from the port side of the tube.



RETAIL PRICE: \$185.00

TORQUE TAMER

(PART NO. TT-100)

The Torque Tamer is designed to assist the operator by reducing steering torque feedback, especially with 4-Stroke engines. The Torque Tamer is designed for Ezy-Glide Steering Systems only. This part will fit most Mercury and Yamaha engines. 5" long from base to bolt.



RETAIL PRICE: \$91.50

EZY-STIK MECHANICAL STEERING SYSTEM ACCESSORIES

EZY-SHOT LUBRICANT (PART EZ-SH)

A brand-new product which has already produced great results for lubricating installed Ezy-Stik systems. Used to ease steering for the operator when steering has become stiff from problems other than defective steering. Comes with a drill template for the Ezy-Stik II 840 system to allow for drilling a small hole through the existing mount surface and housing to the inside of the helm. After drilling, insert syringe into hole of housing and apply 1 oz. into housing. Comes with 4 oz. tube of 80 Below Action Lube.




RETAIL PRICE: \$16.00

RIGGER'S PAL MOUNTING BRACKET (PART No. RP-12)

This aluminum mount pad is for port mount installation adjacent to the operator's seat. The Rigger's Pal Mount Pad with its compact and space-saving design is for mounting the helm of the stick steering system as shown.

DIMENSIONS: 12" HIGH, 6" DEEP, 10" WIDE




RETAIL PRICE: \$121.00

ADJUSTABLE MOUNTING BRACKET (PART No. AB-12)

Adjustable aluminum mount pad for installation adjacent to the operator's seat. The Adjustable Mount Bracket uses the same compact and space-saving design as the Rigger's Pal for mounting the helm of the stick steering system. Adjusts by 1" positions both in depth and height for greater flexibility of installation and boat design. 7 height positions and 5 depth positions.

DIMENSIONS: 10" WIDE ADJUSTS FROM 14" TO 18 1/4" HIGH AND
ADJUSTS FROM 8 3/4" TO 11 7/8" DEEP



RETAIL PRICE: \$ 180.50

EZY-GLIDE PRODUCT WARRANTY

FOR ALL EZY-GLIDE STEERING PRODUCTS & ACCESSORIES

Ezy-Glide, Inc. warrants these products for one year from purchase date ***(three years for hydraulic systems)*** against defective material or workmanship (abuse, accident, improper use, or use outside of specifications not included). Tampering and/or redesign for various reasons, including purpose to install cable not designed or tested for use in these steering systems, will also void this warranty. Ezy-Glide, Inc. will at its option repair, replace, or issue credit for items found defective within one year of date of purchase, provided:

1. The product shipped prepaid;

2. Inspection by Ezy-Glide, Inc. determined that the product is defective, without evidence of abuse, improper use, or accident.

No warranty applies to a product's fitness for specific application. It will be so stated when a product is generally suited for an application. However, since we control neither specific applications nor specific use, we warranty nothing beyond specifications per print.

***Ezy-Glide, Inc. products meet or exceed
NMMA/ABYC standards.***

2022 QUICK PRICE LIST

ITEM	RETAIL
HYDRAULIC STEERING SYSTEMS	
Hydra-Stik (HS-2500) System	1,361.00
Hydra-Glide (HG-2500) System	1,382.00
SideKick (SK-2500) System	1,429.00
HYDRAULIC STEERING ACCESSORIES	
Hydraulic Fluid (1 Qt) & Filler Hose (HF2)	27.50
Hydra-Glide Steering Wheel (HG-SW)	121.00
Side-Kick Steering Wheel (SK-SW)	165.00
Cylinder (CY-U15)	858.00
Helm Pump (HP-250)	696.50
Lever (L-08)	55.00
Bezel (BZ-10)	99.00
Ezy-Mount Aluminum Mount Pad for Hydraulics (EZM-14)	160.00
Hydra-Mount Fiberglass Mount Pad for Hydraulics (HYM-12)	253.00
MECHANICAL STEERING	
<i>Any Length in 1/2' foot increments. Add \$3 per foot to all Systems & Replacement Cables over 15 feet.</i>	
840 Ezy-Stik II (price is the same for all lengths up to 15')	\$ 458.00
870 Ezy-Stik III (price is the same for all lengths up to 15')	474.00
MECHANICAL STEERING ACCESSORIES	
Replacement Cables (Price is the same for all lengths up to 15')	225.00
Lever Latch (LL-17)	22.50
Ezy-Tab (EZY-TAB)	27.50
Ezy-Shot Lubrication (EZ-SH)	16.00
Engine Connection Kit (EG-LPK)	185.00
Adjustable Mounting Bracking (AB-12)	180.50
Rigger's Pal Mounting Bracket for Ezy-Stik (RP-12)	121.00
Torque Tamer (TT-100)	91.50
Lever Pack (H-260)	30.00
20" Lever Pack (H-260-L)	38.50
Knob Only (K-060)	5.00
Dress Cover (Fits 830, 840, 870) (DC-212)	6.50
Mounting Hardware Pack (HP-900)	5.75
Lever & Hardware Pack 840 (HP-2000)	34.75
Lever & Hardware Pack 870 (HP-3000)	34.75
840 Ezy-Stik II Replacement Housing (HO-840)	72.00
870 Ezy-Stik III Replacement Housing (HO-870)	82.50